

ROLL LABEL - WINE LABELS

 Issue date : 14/05/2015
 Date last modification : 20/03/2018

4-RL1C-08700 MONET WS RP1003 WG74 FSC® CERTIFIED
Face Material

Natural embossed white wet strength paper. FSC® certified.

| | | |
|-------------------|--------------------------|------------|
| Type | Natural embossed paper | |
| Colour and Finish | White | |
| Weight | 90 g/m ² ±10% | ISO-536 |
| Thickness | 127 μ ±10% | ISO 534-80 |

Adhesive

Rubber based permanent adhesive featuring good adhesion on slightly wet surfaces.

| | | |
|------------------|------------------|------------|
| Reference | RP1003 | |
| Type | Rubber permanent | |
| Min. Appl. Temp. | 0°C | |
| Service Temp. | -20°C/+70°C | |
| Shear | Very High | |
| Tack | 14 N/25mm | FINAT FTM9 |
| Final Adhesion | 11 N/25mm | FINAT FTM2 |

This adhesive is approved by ISEGA (Direct contact dry & moist, non fatty foodstuffs) according to the German Recommendations XIV.

Liner

| | | |
|-------------------|-------------------------------|------------------|
| Type | One side siliconised Glassine | |
| Colour and Finish | White | |
| Weight | 72 g/m ² ±10% | PP-032 - ISO 536 |
| Thickness | 63 μ ±10% | ISO 534 |
| Transparency | >40 % | DIN 53 147-64 |

Applications

 High quality labels for beverages, wine and promotional uses.
REELS MUST BE WOUND WITH THE FACE-SIDE OUT.
Printing Methods

 Printable with letterpress UV, flexo UV, offset UV and gravure.
 Testing for suitability between media, printers and inks is always recommended prior to use.

Shelf life

 24 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following **STORAGE CONDITIONS**:

- This material must be stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes. All information is subject to change without prior notice.

