

ROLL LABEL - POLITEX

Issue date : 17/05/2017
Date last modification : 03/08/2017**4-RL2D-09872 - POLYTEX FILMIC GLOSS CLEAR AF WG 90 PTD BLUE****Face Material**

Gloss clear top coated Polytex for direct labelling of garments - standard fabrics.

| | | |
|-------------------|--------------------------|------------|
| Type | Polytex film | |
| Colour and Finish | Gloss clear | |
| Weight | 45 g/m ² ±10% | ISO-536 |
| Thickness | 50 µ ±10% | ISO 534-80 |

Adhesive

Fabric friendly adhesive designed to cleanly remove without damaging the garment - pre-testing recommend.

| | | |
|------------------|--------------------------|------------|
| Reference | AF | |
| Type | Fabric Friendly Adhesive | |
| Min. Appl. Temp. | -5°C | |
| Service Temp. | -40°C/+120°C | |
| Shear | Medium | |
| Tack | High N/25mm | FINAT FTM9 |

Liner

| | | |
|-------------------|-------------------------------|------------------|
| Type | One side siliconised Glassine | |
| Colour and Finish | White | |
| Weight | 90 g/m ² ±10% | PP-032 - ISO 536 |
| Thickness | 77 µ ±10% | ISO 534 |
| Transparency | n.a. % | DIN 53 147-64 |

Applications

Garment labelling - we recommend pre-testing of garment prior to labelling. We offer a free of charge testing service - please call to discuss

Printing Methods

Printable with letterpress UV, UV screen, gravure and hot stamping.

Testing for suitability between media, printers and inks is always recommended prior to use.

Shelf life

24 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following **STORAGE CONDITIONS**:

- This material must be stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes. All information is subject to change without prior notice.

