

ROLL LABEL - DIGITAL HP INDIGO

Issue date : 24/08/2015
Date last modification : 20/03/2018**4-RL1B-08805 CAST GLOSS WS DGT AP903 WG74 FSC® CERTIFIED****Face Material**

Gloss cast coated woodfree wet strength white digital top coating paper. FSC® certified.

Type	Digital top coating coated paper	
Colour and Finish	White	
Weight	80 g/m ² ±10%	ISO-536
Thickness	84 µ ±10%	ISO 534-80

Adhesive

Acrylic permanent adhesive featuring good clarity. Excellent adhesion on a wide variety of materials, including apolar substrates (like PE and PP). This adhesive can be used on slightly rough surfaces.

Reference	AP903	
Type	Acrylic permanent	
Min. Appl. Temp.	-5°C	
Service Temp.	-40°C/+120°C	
Shear	Low	
Tack	8 N/25mm	FINAT FTM9
Final Adhesion	9 N/25mm	FINAT FTM2

This adhesive is approved by ISEGA (Direct contact dry & moist, non fatty foodstuffs) according to the German Recommendations XIV .

Liner

Type	One side siliconised Glassine	
Colour and Finish	White	
Weight	72 g/m ² ±10%	PP-032 - ISO 536
Thickness	63 µ ±10%	ISO 534
Transparency	> 40 %	DIN 53 147-64

Applications

High gloss labels mainly for wine labelling.
REELS MUST BE WOUND WITH THE FACE-SIDE OUT.

Printing Methods

Special surface treatment for Indigo digital printers.
To protect the printing it is recommended to overvarnish.
Testing for suitability between media, printers and inks is always recommended prior to use.

Shelf life

24 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following **STORAGE CONDITIONS**:

- This material must be stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes.
All information is subject to change without prior notice.

